

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILIN	G DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/693,525	10/23/2003		Bruce Bushey	24,954-09RE	7718
	7590	06/15/2007		EXAM	INER
John F Klos Fulbright & Ja		•	MASIH, KAREN		
2100 I D S Center 80 South Eight Street				ART UNIT	PAPER NUMBER
	Minneapolis, MN 55402			2837	
				MAIL DATE	DELIVERY MODE
				06/15/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/693,525	BUSHEY ET AL.
Office Action Summary	Examiner	Art Unit
	Karen Masih	2837
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from to cause the application to become ABANDONED	l. ely filed he mailing date of this communication. D (35 U.S.C. § 133).
Status	•	
Responsive to communication(s) filed on 17 Ma This action is FINAL . 2b) ☑ This Since this application is in condition for allowant closed in accordance with the practice under Expression 1.	action is non-final. ice except for formal matters, pro-	
Disposition of Claims	·	
4) Claim(s) 1-31 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) 1-28 is/are allowed. 6) Claim(s) 29-31 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) acceed to the proper acceptance	election requirement. pted or b) objected to by the Elrawing(s) be held in abeyance. See on is required if the drawing(s) is objected.	37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign pall All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	have been received. have been received in Application ty documents have been received (PCT Rule 17.2(a)).	on Nod in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 3/17/05.	4) Interview Summary (Paper No(s)/Mail Dat 5) Notice of Informal Pa 6) Other:	e

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06) Application/Control Number: 10/693,525 Page 2

Art Unit: 2837

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 29-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lange et al in view of Baba.

Lange et al discloses control system for electric actuator comprising actuator r drawing variable current level during operation, current level detection and generating current level signal; digital control component generating first control signal; comparator device for receiving first control signal and current level signal and generating comparison signal and control component to control current level to actuator, see fig 2, col 6 lines 60-68, and col 7 lines 45-55, and col 8 lines 10-25, and 40-50 and 55-65. Lange et al lacks disclosing linear actuator. Baba discloses linear actuator, see col 7 lines 1-35. It would have been obvious to one of ordinary skill in the art to combine the control system of Lange et al with linear motor, since a linear motor, is a type of motor.

3. Claim1-28 is allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karen Masih whose telephone number is 571-272-2068. The examiner can normally be reached on m-f 8.30-6.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lincoln Donovan can be reached on 571-272-2837. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2837

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Karen Masih Primary Examiner Art Unit 2837

KM